# Energy Committee FY2017 2nd Quarter Report

### 1) Proposed Safety Complex Solar Electric Project

a) Current Green Community Grant Funds may be used until 30 May 2018 per MA DOER

Conclusion -

- i) New Priorities Overdue Annual Green Community Reports see below
- ii) Since this project cannot be completed in time to qualify for the FY2017 MA DOER Green Community Grant, the committee recommends this project be placed on hold

Recommendation - Committee recommends the Project be placed on hold until -

iii) Granby meets all Green Community Requirements again - see below

## 2) Overdue Annual Green Community Reports -

- a) Use MA DOER META Grant with PVPC to work on Reports
  - i) By using META Grant = No cost to Town of Granby
  - ii) All Reports are planned to be completed in 3<sup>rd</sup> Quarter of FY2017
    - (1) Outstanding Annual Green Community Reports overdue -
      - (a) FY2011
      - (b) FY2012
      - (c) FY2013
      - (d) FY2014
      - (e) FY2015
      - (f) FY2016

#### 3) Level II Energy Assessments -

- i) The following Town Buildings are planned to be audited -
  - (1) Safety Complex
  - (2) Highway Department
  - (3) Senior Center\Town Hall
  - (4) Old Library
  - (5) New Library

- (6) Schools Currently, Granby committed to a renovation & new building
  - (a) Consider establishing an Energy Baseline upon work completion FY2018?

**Note:** In December 2016 – the Select Board decided to add the Granby Jr.\Sr. High School to the Energy Audit List – This information will be included in the Energy Community's FY2017 3<sup>rd</sup> Quarter Report

- ii) Committee to obtain a list of MA DOER Approved Auditors
  - (1) Using List Obtain Cost Estimates of Buildings for Select Board Approval

<u>Conclusion</u> – Proper Assessment to establish the building's baselines & cost to reduce energy consumption required for an accurate decision-making process

<u>Recommendation</u> - Committee recommends using existing Green Community Funds to pay for Level II Energy Assessments = No Cost to Town

#### 4) New Library Solar Electric Installation MA DOER Inspection -

- a) After MA DOER approves Granby's Overdue Green Community Annual Reports
  - i) Request MA DOER Inspection of Library's Solar Electric Installation
  - ii) Inspection required to maintain Granby's Green Community Status

Jay Joyce Granby Energy Committee Chairperson